

ACHIEVE BURNDOWN AND RESIDUAL WEED CONTROL IN SORGHUM

A Proven Option for Reliable Residual and Burndown Control in Sorghum

Using preemergence herbicides such as Linex[®] 4L as a foundation to provide early season residual control of grasses and broadleaf weeds results in maximum yields and cleaner fields at harvest.

Unique benefits of LINEX[®] 4L

LINEX 4L is a photosystem II (PSII) inhibiting herbicide that provides effective residual control of several key small-seeded broadleaf weeds. LINEX 4L acts at a different binding site from many other PSII herbicides (like atrazine), and can be incorporated into an integrated weed resistance management program in sorghum.

Application Recommendation

Make a single preemergence application of LINEX 4L tank mixed with a herbicide registered for the same use. Apply after planting but before crop emerges. Do not graze or feed plants to livestock within 3 months after directed postemergence application. For directions on the use of LINEX in a directed post-emergence application, consult the LINEX Specimen Label (novasource.com).

Soil Type	1-2% Organic Matter	2-4% Organic Matter
	Rate in Pints	Rate in Pints
Sandy loam	0.625 – 1.25	1 – 1.5
Loam, silt loam, silt, sandy clay, sandy clay loam	1.0 – 1.5	1 – 2

Plant seed at least 1 inch deep on flat or raised seedbeds only as injury to the crop may result.

Note:

1. Do not apply over the top of emerged sorghum.
2. Do not apply within 75 days of harvest.

Seedling Weeds Controlled with Burndown Applications of LINEX 4L

Broadleaf Weeds			Grasses
<ul style="list-style-type: none"> • Beggarweed, Florida • Buckwheat, wild • Carpetweed • Cocklebur, common • Dayflower, common • Dogfennel • Fiddleneck • Goosefoot, nettleleaf 	<ul style="list-style-type: none"> • Groundsel • Knawel • Lambsquarters • Morningglory, annual • Mustard • Pigweed • Purslane, common • Pusley, Florida 	<ul style="list-style-type: none"> • Ragweed, common • Sesbania • Sicklepod • Sida, prickly • Smartweed, Pennsylvania • Velvetleaf 	<ul style="list-style-type: none"> • Barnyardgrass (watergrass) • Canarygrass • Crabgrass • Foxtail (including giant) • Fescue, rattail • Goosegrass • Panicum: fall, Texas • Ryegrass, annual • Signalgrass

Weeds Controlled Preemergence

Broadleaf Weeds	Grasses	Weeds Partially Controlled (Suppressed) Preemergence
<ul style="list-style-type: none"> • Beggarweed, Florida • Carpetweed • Chickweed • Dayflower, common • Galinsoga • Goosefoot, nettleleaf • Lambsquarters • Mustard 	<ul style="list-style-type: none"> • Pigweed • Purslane, common • Pusley, Florida • Radish, wild • Ragweed, common • Shepherd's-purse • Smartweed, Pennsylvania 	<ul style="list-style-type: none"> • Barnyardgrass (watergrass) • Canarygrass • Crabgrass • Foxtail (including giant) • Goosegrass • Panicum, fall

Important: Always read the label before buying and follow label instructions when using this product.

Atrazine is a restricted-use pesticide. See reverse for conditions of sale.



TESSENDERLO KERLEY, INC.
2910 North 44th Street
Suite 100
Phoenix, AZ 85018-7272

CUSTOMER SERVICE:
800-525-2803
602-889-8300

novasource.com